

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	434	713/160.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/07 11:11
S1	2986	encrypt\$3 near2 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/29 13:27
S2	4184	encrypt\$3 near2 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 08:16
S3	324	encrypt\$3 near2 packet same identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 08:16
S4	346	encrypt\$3 near2 packet same (marker identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 08:16
S5	232	encrypt\$3 near2 packet same (marker identifier) and @ad<"20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 09:43
S6	14	encrypt\$3 near2 packet same (marker identifier) and @ad<"20030916" and ((internet adj key adj exchange) ike)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 12:19
S7	7	encrypt\$3 near2 packet same (marker identifier) and @ad<"20030916" and ((internet adj key adj exchange) ike) and ((quality adj2 service) qos)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 09:01
S8	0	encrypt\$3 near2 packet same (marker identifier) same (policy policies) and @ad<"20030916" and ((internet adj key adj exchange) ike)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:12

S9	0	encrypt\$3 near2 packet same (marker identifier) same (service) and @ad<"20030916" and ((internet adj key adj exchange) ike)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 15:24
S10	7	"2004005061"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 15:24
S11	2	"2004005061"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 15:24
S12	20	@ad<"20030916" and ((internet adj key adj exchange) ike) with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 15:29
S13	35	@ad<"20030916" and ((internet adj key adj exchange) ike) with ID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 11:34
S14	29	encrypt\$3 near2 packet same (marker identifier) and @ad<"20030916" and ((quality adj2 service) qos)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 09:02
S15	2	encrypt\$3 near2 packet same (marker identifier) same ((quality adj2 service) qos) and @ad<"20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 09:03
S16	29	encrypt\$3 near2 packet same (marker identifier) and ((quality adj2 service) qos) and @ad<"20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 10:02
S17	0	encrypt\$3 near2 packet same (marker identifier) and (((quality adj2 service) qos) same identifier) and @ad<"20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 10:02
S18	0	((quality adj2 service) qos) same identifier) and @ad<"20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 10:03

S19	1564	((quality adj2 service) qos) same (identifier marker)) and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 10:03
S20	1488	(((quality adj2 service) qos) same (identifier)) and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 10:04
S21	698	(((quality adj2 service) qos) with (identifier)) and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 10:04
S22	283	(((quality adj2 service) qos) with (identifier) same packet) and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 10:05
S23	1	(((quality adj2 service) qos) with (identifier) same packet same encrypt\$3) and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 11:34
S24	19	@ad< "20030916" and encrypt\$3 with (prior before) with (classif\$7 categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 11:35
S25	22	@ad< "20030916" and encrypt\$3 with (prior before pre) with (classif\$7 categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 11:36
S26	2	@ad< "20030916" and encrypt\$3 with (prior before pre) with (classif\$7 categoriz\$3) same packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 11:37
S27	2	@ad< "20030916" and encrypt\$3 with (prior before pre) with (classif\$7 categoriz\$3 label\$3) same packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 11:37
S28	6	encrypt\$3 near2 packet same (marker identifier) and @ad< "20030916" and ((internet adj key adj exchange) ike) and (header same encrypt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 15:44

S29	324	713/160.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 15:44
S30	2	"20040005061"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/29 13:28
S31	70	(qos (quality adj2 service)) same encrypt\$3 same (identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 13:35
S32	39	(qos (quality adj2 service)) same encrypt\$3 same (identifier) and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 13:39
S33	39	(qos (quality adj2 service)) with (identifier identif\$3) same encrypt\$3 and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 15:28
S34	24784005	(qos (quality adj2 service)) with (encrypt\$3) with packet @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 15:29
S35	41	(qos (quality adj2 service)) with (encrypt\$3) with packet and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 17:19
S36	1	(qos (quality adj2 service)) with (encrypt\$3) with packet and @ad< "20030916" and (ike (internet adj key adj exchange))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 16:44
S37	11	(qos (quality adj2 service)) with (encrypt\$3) with header and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 17:57
S38	24	(qos (quality adj2 service)) with header same (encrypt\$3) and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 09:26

S39	57	(qos (quality adj2 service)) and isakmp and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 11:22
S40	2	"20040158708"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:59
S41	352	713/160.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:59
S42	3	(quality adj of adj service) and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 14:58
S43	26928	(quality adj2 service) and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 14:58
S44	11614	(quality adj2 service and qos) and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 14:59
S45	2105	(quality adj2 service and qos) same packet same identifier and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 14:59
S46	290	(quality adj2 service and qos) same packet same identifier and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 15:00
S47	2	(quality adj2 service and qos) same packet same identifier same encrypt\$3 and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 15:00
S48	290	(quality adj2 service and qos) same packet same identifier and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/21 10:34

S49	0	(quality adj2 service and qos) with identifier same encrypt\$3 and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/21 10:37
S50	0	(quality adj2 service and qos) with identifier same \$2crypt\$3 and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/21 10:37
S51	2	(quality adj2 service or qos) with identifier same \$2crypt\$3 and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/21 10:37
S52	2	(quality adj2 service or qos) with identifier same encrypt\$3 and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/21 10:38
S53	313	(quality adj2 service or qos) with identifier same packet and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/21 10:39
S54	56	(quality adj2 service or qos) with identifier same packet and encrypt\$3 and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/21 10:39
S55	0	(quality adj2 service or qos) same identifier with header same encrypt\$3 and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/21 10:46
S56	139	(quality adj2 service or qos) with identifier and encrypt\$3 and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/21 10:47
S57	401	713/160.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/21 12:15
S58	31087	qos (quality adj2 service) same (identifier id) same (internet adj key adj exchange IKE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/06 16:01

S59	31087	qos (quality adj2 service) same (identifier id) same ((internet adj key adj exchange) IKE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/06 16:02
S60	11	(qos (quality adj2 service)) same (identifier id) same ((internet adj key adj exchange) IKE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/06 16:02
S61	16	(qos (quality adj2 service)) same (identif\$4 id) same ((internet adj key adj exchange) IKE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/06 16:03
S62	16	(qos (quality adj2 service)) same (identif\$4 id) same ((internet adj key adj exchange) IKE IKEID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/06 17:08
S63	126	(qos (quality adj2 service)) same (identif\$4 id) and ((internet adj key adj exchange) IKE IKEID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/06 17:08
S64	81	(qos (quality adj2 service)) with (identif\$4 id) and ((internet adj key adj exchange) IKE IKEID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/06 17:08
S65	23	(qos (quality adj2 service)) with (identif\$4 id) and ((internet adj key adj exchange) IKE IKEID) and @ad< "20030916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/06 17:09
S66	3	"7289630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/06 18:12

8/7/2008 11:23:33 AM

C:\Documents and Settings\jgee\My Documents\EAST\Workspaces\10664267.wsp